

New Hampshire Bird Records





This issue of *New Hampshire Bird Records* with its color cover is sponsored by a friend in celebration of the Concord Bird and Wildlife Club's more than 100 years of birding and blooming.

NEW HAMPSHIRE BIRD RECORDS
VOLUME 33, NUMBER 1
SPRING 2014

MANAGING EDITOR

Rebecca Suomala
603-224-9909 X309,
rsuomala@nhaudubon.org

TEXT EDITOR

Dan Hubbard

SEASON EDITORS

Eric Masterson, **Spring**
Tony Vazzano, **Summer**
Lauren Kras/Ben Griffith, **Fall**
Pamela Hunt, **Winter**

LAYOUT

Kathy McBride

ASSISTANTS

Jeannine Ayer, Zeke Cornell, David Deifik,
Margot Johnson, Elizabeth Levy,
Susan MacLeod, Aiden Moser,
Marie Nickerson, Carol Plato,
Tony Vazzano, Phyllis Yaffie

FIELD NOTES

Jane Wing

PHOTO QUIZ

David Donsker

PHOTO EDITOR

Wendy Chatel

WEB MASTER

Kathy Barnes

WHERE TO BIRD

Phil Brown

EDITORIAL TEAM

Phil Brown, Wendy Chatel, Hank Chary,
David Deifik, David Donsker, Ben Griffith,
Dan Hubbard, Pam Hunt, Lauren Kras,
Iain MacLeod, Eric Masterson,
Robert A. Quinn, Rebecca Suomala,
Tony Vazzano, Jane Wing, Jon Woolf

www.nhbirdrecords.org

In This Issue

From the Editor	1
Photo Quiz	1
2014 Goodhue-Elkins Award – Allan Keith and Robert Fox	2
Spring Season: March 1 through May 31, 2014	3
<i>by Eric Masterson</i>	
The Inland White-winged Scoter Flight of May 2014.....	27
<i>by Robert A. Quinn</i>	
Beyond the Sandhill Crane: Birding Hidden Towns of Northwestern Grafton County.....	30
<i>by Sandy and Mark Turner, with Phil Brown</i>	
Backyard Birder – Waggle Dance of the Woodpeckers.....	32
<i>by Brenda Sens</i>	
Field Notes	33
<i>compiled by Jane Wing and Rebecca Suomala</i>	
Screech-Owl Entangled in Fishing Line <i>by Jane Wing</i>	
Red-throated Loon Drops in for a Visit to the Lilac City <i>by Dan Hubbard</i>	
Merlin Dines on Cape May Warbler! <i>by Iain MacLeod</i>	
Odd Tanagers <i>by Rebecca Suomala</i>	
Lincoln's Sparrow with an Identity Crisis? <i>by Dan Hubbard</i>	
NH Bald Eagle Settles in Vermont <i>by Chris Martin</i>	
Breeding Season Starts Early for NH Bald Eagles <i>by Chris Martin</i>	
Golden Eagle in Boscawen <i>by Jen Esten</i>	
“Northern” Common Eider <i>by Stephen R. Mirick</i>	
Banded Gull <i>by L. William Clark</i>	
American Bittern Swimming!	
A Tale of Two Waterthrushes	37
<i>by Stephen R. Mirick</i>	
Centennial Birdathon/Bloomathon a Resounding Success!.....	39
<i>by Phil Brown and Ruth Smith</i>	
Field Trip Report – Pickering Ponds	40
<i>by Dan Hubbard</i>	
Photo Gallery – Warbler Fallout at Pondicherry National Wildlife Refuge	40
<i>by Phil Brown</i>	
Volunteers and Research – Olive-sided Flycatcher Blitz	42
<i>by Pam Hunt</i>	
Answer to the Photo Quiz.....	43
<i>by David B. Donsker</i>	

Cover Photos: Black-necked Stilt by Len Medlock (inflight) and Jason Lambert, 5/20/14, Stratham, NH. Cerulean Warbler by Scott Heron, 5/5/14, Kingston, NH.

New Hampshire Bird Records is published quarterly by New Hampshire Audubon's Conservation Department. Thank you to the many observers who submit their sightings to NH eBird (www.ebird.org/nh), the source of data for this publication. Records are selected for publication and not all species reported will appear in the issue. The published sightings typically represent the highlights of the season. All records are subject to review by the NH Rare Birds Committee and publication of reports here does not imply future acceptance by the Committee. Please contact the Managing Editor if you would like to report your sightings but are unable to use NH eBird.

New Hampshire Bird Records © NHA February, 2015

Published by New Hampshire Audubon's Conservation Department



Printed on Recycled Paper

A Tale of Two Waterthrushes

by Stephen R. Mirick

The Northern Waterthrush and the Louisiana Waterthrush are two very similar species of warblers and are the only members in the newly designated genus *Parkesia*. As their names suggest, they are both thrush-like warblers. They occur most commonly in wetland areas and are often seen on or near the ground. They are very similar in appearance and both occur in New Hampshire, however, many aspects of their breeding and migratory behavior in the state are distinct. I am going to attempt to highlight a few differences that are not found in most field guides.

Identification

Most field guides do a good job at highlighting the differences between these two species. However, I want to emphasize the fact that they can be **very difficult to identify based on sight alone**. Compounding the problem is the secretive nature of these birds that skulk in brushy tangles of low wetland areas. The songs of the two species are distinct and easy to learn; however, silent birds should be treated with extreme caution when you attempt to identify them.

Habitat

On breeding territory in New Hampshire, both species prefer low thickets in wetland areas; however, the Louisiana Waterthrush typically prefers areas with **moving** water. This can include small swampy streams to medium sized rivers. The Northern Waterthrush prefers stagnant **swampy** wetlands, sometimes near small streams. These habitats can overlap and I have seen both species nesting on opposite ends of a swamp nearby in Massachusetts. In migration, the habitat they occupy likely overlaps greatly; however, in all cases, the birds will stay low near the ground in dense thickets.

Breeding Distribution in New Hampshire

The Louisiana Waterthrush is a more southern warbler, restricted to the eastern United States, and reaches the northern limits of its breeding range in New Hampshire. It is an uncommon nesting species and is widespread but local across southern New Hampshire. It is found almost exclusively south of the White Mountains and any sightings north of the White Mountains should be carefully scrutinized and documented, since they are almost certainly a Northern Waterthrush.

The Northern Waterthrush is the widespread northern counterpart to the Louisiana Waterthrush. It nests across most of Canada west to and including almost all of Alaska.

In New Hampshire, it is fairly common in northern parts of the state; however, it becomes less common as a nesting species in southern and eastern parts of the state.

Migration Behavior

Perhaps one of the most often overlooked differences between the two species, and the reason behind this article, is the uniqueness of their migration behaviors.

The Northern Waterthrush is very similar to the other species of northern warblers in its timing during migration. It arrives here slightly earlier than most, with the first migrants appearing during the last week of April. Peak migration occurs in mid-May when it can be fairly common anywhere in the state. In the fall, the Northern Waterthrush is likely fairly common in migration, although it often goes undetected due to its retiring habits. Reports of more than three or four from a location are rare; however, records from the Appledore Island Migration Banding Station at the Isles of Shoals in Maine show this species to be one of the more commonly captured species from mid-August to mid-September (S. Morris, personal communication).

The Louisiana Waterthrush is an early migrating warbler in the state in the spring. They arrive on their breeding grounds about a week earlier than the Northern Waterthrush, with the first birds appearing during the third, or sometimes second, week of April. They are well established on their breeding territories by the beginning of May. **In the fall, they are one of the first warblers to completely leave the state.** Late nesters may linger into August; however, most, if not all, are gone by mid to late August. Jon Dunn, in National Geographic's *Field Guide to the Birds of Eastern North American*, goes further:



Louisiana Waterthrush by Len Medlock.



Northern Waterthrush by Kyle Wilmarth.

“In fall, any waterthrush seen [anywhere in the eastern United States] after about 20 August is almost certainly a Northern, especially on into September.”

The status of “in-transit” migrants (birds that stop over during migration) is still a bit of a mystery. It appears that most Louisiana Waterthrushes fly straight to their breeding grounds when they arrive in New Hampshire and most depart straight to their wintering grounds. Because we are on the northern edge of their breeding range, there are comparatively few migrants that could possibly pass through our state. This makes them an extremely rare bird of passage, and therefore, extremely rare away from breeding areas.

Bird banding data would seem to support this. The Appledore Island Migration Banding Station has been capturing and banding birds during spring and fall migration for over 30 years (S. Morris, personal communication). Data collected from 1981 through 2013 shows that a total of 7,119 Northern Waterthrushes were captured and banded in their nets as compared to only **two** Louisiana Waterthrushes! In addition, during research work on Star Island (Isles of Shoals, New Hampshire) in 2009-2010, a total of 18 Northern Waterthrushes were banded during spring migration and 166 were banded during fall migration, but there were no Louisiana Waterthrushes banded (R. Suomala, personal communication). On a personal level, with 33 years of experience, I have never seen a Louisiana Waterthrush in migration along the immediate coastline or away from known or suspected breeding areas.

The above information can be summarized with three important “rules of thumb” to keep in mind:

1. Any waterthrush sighting in, or north, of the White Mountains is almost certainly a Northern Waterthrush.
2. After August 31, any waterthrush in the state of New Hampshire is almost certainly a Northern Waterthrush.

3. Any waterthrush, at any date, along the immediate coastline, at the Isles of Shoals, or away from breeding grounds of the Louisiana Waterthrush, is almost certainly a Northern Waterthrush.

References

- Bird Banding Laboratory Data on line. USGS. Patuxent Wildlife Research Center. <https://www.pwrc.usgs.gov/BBL/index.cfm>. Accessed October 2014.
- National Geographic. 2008. *Field Guide to the Birds of Eastern North America*. National Geographic Society, Washington, D.C.
- Foss, C. ed. 1994. *Atlas of Breeding Birds in New Hampshire*. Audubon Society of New Hampshire, Concord, NH.
- Keith, A. and R. Fox. 2013. *The Birds of New Hampshire*. The Nuttall Ornithological Club, Cambridge, MA.
- Sibley, D. 2014. *The Sibley Guide to Birds*. Alfred A. Knopf, New York, NY.
- Veit, R. and W. Petersen. 1993. *Birds of Massachusetts*. Massachusetts Audubon Society, Lincoln, MA.

Steve Mirick has been an active birder in the New Hampshire Seacoast Region for over 30 years and received the Goodhue-Elkins Award in 2011. He was the Fall Editor for New Hampshire Bird Records for over 20 years and contributed to the New Hampshire Breeding Bird Atlas as well as the most recent Massachusetts Breeding Bird Atlas.



The Canterbury Tails and the Wandering Vireos at Canterbury Shaker Village during the Birdathon/Bloomathon, 5/17/14. Photo by Beth McGuinn.

New Hampshire Bird Records Endowment Fund

Donations to this permanently restricted fund provide long-term support for the collection, organization, quality control, distribution, dissemination, publication, promotion, preservation and storage of New Hampshire bird sighting information. This fund supports all facets of the *New Hampshire Bird Records* publication. For more information, contact the Managing Editor (see inside front cover).

Rare Bird ALERT ☎ 224-9909

Available twenty-four hours a day!

Also online at www.nhaudubon.org

Abbreviations Used

BBC	Brookline Bird Club
BBS	Breeding Bird Survey
CA	Conservation Area
CC	Country Club
CFT	NH Audubon Chapter Field Trip
FT	Field Trip
IBA	Important Bird Area
L.	Lake
LPC	Loon Preservation Committee
NA	Natural Area
NHA	New Hampshire Audubon
NHBR	New Hampshire Bird Records
NHRBC	NH Rare Birds Committee
NWR	National Wildlife Refuge
PO	Post Office
R.	River
Rd.	Road
Rt.	Route
SF	State Forest
SP	State Park
SPNHF	Society for the Protection of NH Forests, Concord
T&M	Thompson & Meserves (Purchase)
TNC	The Nature Conservancy
WMA	Wildlife Management Area
WMNF	White Mountain National Forest
WS	NHA Wildlife Sanctuary
~	approximately
WTP	Wastewater Treatment Plant

NHBR Subscription Form

I would like to subscribe to *NH Bird Records*.

☐ NHA Member \$25.00 ☐ Non-member \$35.00

All renewals take place annually.

*Mid-year subscribers will receive all issues published in the
subscription year.*

☐ I would like to join NHA and receive *NH Bird
Records* at the member price.

☐ Family/\$55 ☐ Individual/\$39 ☐ Senior/\$24

Name: _____

Phone: _____

Address: _____

City, State: _____

Zip: _____

Payment is by:

☐ check enclosed— payable to NH Audubon

☐ MC ☐ VISA

Card #: _____

Exp. Date: _____

Return to: Membership Department, NH Audubon,
84 Silk Farm Rd., Concord, NH 03301

Subscribe online at www.nhbirdrecords.org