
New Hampshire Bird Records

A Publication of the Audubon Society of New Hampshire



FROM THE EDITOR

Congratulations to Diane De Luca and Stephen Walker on the birth of their baby girl, Kiah Ashley Walker on May 27, 1993. All are doing very well. Needless to say, Diane has not had much time for Bird Records these days and will be taking a break from her duties as Technical Editor. We ask for your patience and understanding as we make a transition to a new division of responsibilities.

A new addition in this publication is a Corrections Page. It includes corrections for any substantive errors that have been detected in the issues from Spring 1988 through Winter 90-91. We try to eliminate all such inaccuracies before publication but some always manage to slip through. In the future, we will try to include these corrections more regularly, as needed.

There are many volunteers who work on NH Bird Records to help make it a valuable publication. In addition to those who take the time to submit their sightings, we would like to thank those volunteers who work behind the scenes. We have some new faces in the data entry crew which now consists of Jeannine Ayer, Judy Sweeney, Bob Vernon, Nancy Burgess, and Ruth Lang. Jill Simmons has one of her many hands in here as well as other publication tasks. Thanks to the efforts of these folks, the database of bird sightings is up to date and in terrific shape.

Our seasonal editors - Bob Quinn, Andrea Robbins, Steve Mirick, and Peter Hunt — deserve great credit for continuing on in spite of the two year delay in seeing their work in print. Tom McMillan volunteers as text editor and Marie Neveu as proof reader. Special thanks to Kimball Elkins who provides ongoing assistance with his vast knowledge of the birds in New Hampshire.

This effort and support is tremendously important to the quality of the publication and to the staff who work on it. Simply put, Bird Records would not be able to survive without all of these volunteers. Thanks!

> Rebecca Suomala Managing Editor

The cover illustration is of a Scissor-tailed Flycatcher, by ASNH Communications Director, Iain MacLeod. Iain's work, in both pen & ink, and pencil, has frequently graced the pages of ASNH publications. His illustrations have been used in many newsletters and books here in the US and in Iain's native Scotland. He has exhibited on both sides of the Atlantic.

For the first time, the original drawing is available for sale, with all proceeds to benefit NH Bird Records. The picture (image size is 5" x 7"), will be matted. We will award the illustration to whoever makes the highest bid (\$100 minimum) by December 1st, 1993. Please contact Iain or Becky at 224-9909 if you are interested.

Summer Season

June 1 to July 31, 1991 -Volume 10, Number 2:

The warm and mostly dry weather in the spring and summer created conditions for a very favorable nesting season. The only exceptions were the locally severe thunderstorms and their associated high winds. Late June — the most critical time for nesting songbirds — was fair and warm, which also benefited the Breeding Bird Survey. The bulk of the songbird data in this report comes from the 23 BBS routes, which have now been run for 26 years and provide an ever-growing mountain of invaluable nesting data.

A storm system and unsettled weather at the end of May and beginning of June may have brought the Common Tern at Lake Umbagog and the Franklin's Gull at the coast, one of the outstanding finds of the season. The most obvious late spring migrants were the Yellow-bellied Flycatcher (June 7) and Blackpoll Warbler (June 15). The occurrence of not one but two Scissor-tailed Flycatchers in June is unprecedented and quite inexplicable for this rare southwestern wanderer. Less surprising was the Black Skimmer just across our border in Kittery, Maine.

By July, species besides the expected shorebirds were migrating. Swallows were flocking by mid-month, warblers were moving (note the Common Yellowthroat, Chestnut-sided, Magnolia, and Black-throated Blue Warblers in late July), and Chimney Swifts were noted flocking on July 28, after a front went through. Also on that date, but not obviously weather-related, was the observation of a Golden Eagle, an outstanding summer record for this rare species.

Other notable sightings of uncommon species included summering Redthroated Loon and Red-breasted Merganser, inland Snowy Egret, singing Acadian Flycatcher, and intriguing raptor sightings that we hope bode well for Bald Eagles, Peregrine Falcons, and Merlins in our state.

Now, a call to search, to see, and to record. A call to you! You know who you are. You are very good at identification (these records prove that). Now let's see how good you are with a challenge. I challenge you to contribute just one meaningful report of any one of the following species: nesting water birds (beyond common ducks), nesting hawks or owls, Purple Martin, Northern Rough-winged Swallow, Cliff Swallow, Willow Flycatcher, Horned Lark, Blue-gray Gnatcatcher, Brown Thrasher, resident boreal species, Philadelphia Vireo, Prairie Warbler north of Concord, Pine Warbler or Louisiana Waterthrush north of Plymouth, Meadowlark, Vesper, and Grasshopper, Seaside, or Sharp-tailed Sparrows. And let's talk about two subjects near and dear to us all—age and sex. It's time to move to the next step beyond simple identification to determine a bird's age and sex.

Thanks and keep up the good work. Oh, by the way, the species I am going to concentrate on is Philadelphia Vireo.

Robert A. Quinn
Summer Editor


Loons through Herons

A summering Red-throated Loon was a rather unusual sighting. But the Common Loon is less unusual with each passing year, according to the Loon Preservation Committee. This year's 88 chicks represent the highest number in the 16 years that the LPC has been at work. Perhaps the most meaningful statistic was the total of 40 lakes that had chicks, twice the total of only a few years ago. Several wandering Common Loons lead one to anticipate further new nesting attempts next year.

A Pied-billed Grebe at Audubon's Chase Sanctuary in Hopkinton was a new location for this species, but they are still few and far between. Double-crested Cormorants were conspicuous by the total absence of any reports. A dozen or so American Bitterns is an increase over totals of recent years. A small colony of Great Blue Herons at Second Connecticut Lake in Pittsburg is one of very few rookeries ever documented in the North Country. An immature Snowy Egret in Canterbury was an unusual inland sighting, and 29 Glossy Ibis at Great Bay were considered noteworthy for that location by the observer. Black-crowned Night-Herons went unreported.

date	#	town	location	observer(s)
Red-thr	oate	d Loon		
07-19	1	Rye	near Wallis Sands St. Pk.	P. Hunt, T. Leukering
Commo	n Lo	on		
06-02	1	Lebanon	Mascoma Lake, near dam	P. Hunt, B. Jensen
06-03	1	Concord	Turtletown Pond	M. Chandler
06-28		Concord	Penacook Lake	P. Niswander E. Metzler
07-17	1	Bow	Turee Pond	P. Hunt, T. Leukering
07-19	1	Durham	Adams Pt.	P. Hunt, T. Leukering
07-19	2	Rye	offshore	F. Hulli, T. Leakering
Pied-bi	lled	Grebe		
06-06	1.	Hopkinton	Chase Sanctuary	L. Eaton
06-19	1	Sutton	Cascade Marsh	R. Vernon
Northe	rn G	annet		
06-01	1		toward Isles of Shoals	S. Mirick, ASNH Field Trip
Americ	an E	ittern	•	
06-19	1	Sutton	Cascade Marsh	R. Vernon
06-23	1	Pittsburg	East Inlet	R. Quinn
07-09	1	Thornton	Rt. 93 at Exit 29	T. Leukering, P. Hunt G. Ports
07-12	1	Canaan	Rt.4 near Mascoma HS sod farm marsh	K. Elkins, R. Vernon
07-19	2		Mile Long Pond	M.& M. Duffy
07-20	1	Errol Errol	Harper's Meadow,	P. Allen, P. Theriault,
07-20	ι	EHOI	Lake Umbagog	S. Borden
07-21	· 1	Thornton	Rt. 3	T. Leukering
Great	Blue	Heron		
06-12	81	Hopkinton	Stumpfield Marsh	I. MacLeod
06-15	65	Londonderry	Musquash CA	H. Chary

dat	te	#	town	location	observer(s)
	-30	61	Hopkinton		J. Bohanan
07-	-25	40	Pittsburg	Second Connecticut Lake	C. Martin
Gr	eat E	gret			
07-	-25	1	Hampton Falls	Rt. 1, n. of town	P. Hunt, T. Leukering, L. Bunten
07-	-25	1	Manchester	Steven's Pond, Rt. 93	P. Hunt, T. Leukering, L. Bunten
07-	-28	6	Seabrook	salt marshes	S. Mirick
Sn	owy	Egre	et	,	
07-	-20	1	Canterbury	Merrimack R. mudflats, n. of Contoocook R.	R. Quinn
07-	-25	35		NH coast	P. Hunt, T. Leukering, L. Bunten
Gr	een-l	oack	ed Heron		
	-01	1	Wentworth	residence	G. Ports
	-10	1	New London	Low Plains CA	R. Vernon B. Janeway
	-15 -17	1	Webster Sutton	Knight's Meadow Marsh Rt. 89 at mile 26	C.& C. Martin
	-17 -17	. 1	Sutton	Rt. 89, Exit 10	C.& C. Martin
	-18	i	Whitefield	Rt. 116	S. Bogert, M. Turner
07	-09	1	Andover	Potter Place	K. Elkins
	-12	6	Bow	off Rt. 3A near Eastview Dr.	
07	-13	3	Andover	Potter Place	K. Elkins
Gl	ossy	lbis			1
	-03	1	Seabrook	Seabrook Marsh tern blind	M. Suomala



Waterfowl through Hawks

Sizeable flocks of Canada Geese were again noted in June, and the only other waterfowl sighting of interest was that of a Red-breasted Merganser on July 19, a species that nests to the north and is normally absent during summer. Both teal species went unreported.

Turkey Vultures were widespread as far north as Errol, Wentworths Location, and Stratford. Twenty-two Osprey chicks in the North Country and three at Great Bay were encouraging totals. The Bald Eagles nesting at Lake Umbagog produced one healthy chick, and numerous wandering Bald Eagles, including an adult at First Connecticut Lake in Pittsburg, were intriguing in that large raptors like Bald Eagles normally explore potential sites for several years before making an attempt at nesting. An apparent adult Golden Eagle was seen by an experienced observer at the old landfill in Boscawen.

A Northern Harrier and a Peregrine Falcon at the coastal salt marshes on June 3 were most likely non-breeding wanderers (that reminds me of MY youth...). A Merlin was noted in the Lake Umbagog area for the second summer in a row, and two other Merlin reports tantalize us with the possibility that this species, which already nests in Maine and New York, might be settling in at Umbagog. Only seven young Peregrine Falcons survived this year, but two of these were from a site in Crawford Notch that had not produced chicks since 1987. A Cooper's Hawk in Hampton is somewhat unusual for that coastal locale.

date	#	town	location	observer(s)
Canad	a Go	ose		
06-01 06-20	17 45	Bow Milford	Tory Pond Osgood Pond & Armory Rd	J. Steenbeke A. Ames
Wood	Duck	.		•
06-06 06-07 06-19	11 6 4	Randolph Mont Vernon Sutton	old Rt. 2 marsh, Rt. 13 n. Cascade Marsh	S. Bogert, M. Turner R. Suomala R. Vernon
Rina-n	ecke	d Duck		
07-20		Errol	Mile Long Pond	P.& A. Cormier
06-19	5	erganser Sutton New London	Cascade Marsh Low Plains CA	R. Vernon K. Elkins
Comm	on N	lerganser		,
07-17		Wakefield	Lake Wentworth	S. Cloutman
Red-b	reasi	ed Merganse	er	
07-19	1	Rye	near Wallis Sands St. Pk.	P. Hunt, T. Leukering
Turke 06-02 06-12	y V ul 1 1	ture Errol Stratford	Sweat Meadow, Lake Umb Stratford Hollow	agog S. Bogert, M. Turner D.& B. Killam

date	#	town	location	observer(s)
07-08	20		Rt. 93, s. of Thornton	T. Leukering,
				D. Fahl-King
07-20	1	Wentworths Loc	cation	N. Frost, E. Baron
07-24	11	Gilsum	Hammond Hollow	M. Wright
^		,		
Osprey		Ol allaines	Andreasanin D	S Pagert M Turner
06-05	1	Shelburne	Androscoggin R.	S. Bogert, M. Turner A. Troy
06-08	1	Freedom	Loon Lake, ne. side	H. Franklin
06-20	2	Peterborough	Noone's Mill Pond Hildreth Dam	C. Pease
06-30	3 1	Warren Thornton	along Pemigewasset R.	P. Marra
07-12 07-17	1.	Pittsburg	Rt. 3 at Second Connecticut	
07-17	1	Pittsburg	East Inlet	D.& B. Killam
07-20	'	i illabuig	Last met	2,00 20 0 00000
Bald Ec	ıgle			
06-11	1	Loudon		C. Johnson
06-21	1	Northumberland	d Ammonoosuc R.	P. Sunderland
06-22	1	Manchester	near Lake Massebesic	S. Hartmann
06-26	1	Ossipee	White Pond	P. Herrin
06-26	3	Hancock	Nubanusit Lake	P.& J. Brodie
06-26	1	Warner	Warner R.	A. Sweeney
07-01	. 1	Canterbury	Boyce Rd.	M. Colburn
07-25	1	Pittsburg	First Connecticut Lake	J. Noon
Northe	rn H	larrier		
06-03	1	Seabrook	Seabrook Marsh tern blind	M. Suomala
06-13	1	Millsfield	Rt. 26, near Welch Brook	C. Martin, M. Amaral
	•	Willionoid	& Clear Stream	
06-28	6	Stewartstown	Mudgett Mtn.	J. Neveux
07-20	1	Errol	Leonard Marsh,	P. Allen, P. Theriault,
	•		Lake Umbagog	S. Borden
07-25	1	Pittsburg	Second Connecticut Lake	J. Noon
07-26	- 1	Dummer	Rts. 16 & 110A	M. Turner
07-27	1	Errol	Lake Umbagog	S. Bogert
· .	-/- LI	اسميواد		
Coope			Rt. 51 between Rts. 1 & 1A	T Leukering
07-25	1	Hampton	nt. 51 between rus. 1 & 1A	1. Leakering
Northe	rn G	oshawk		
06-10	1	Gilsum	Hammond Hollow	M. Wright
06-16	1	Bedford	Rosewell Rd.	J. Aitken
07-20	1	Chatham	Weeks Brook drainage	S. Shackford
07-29	1	Walpole	Pinnacleview Equipment	M. Wright
	1	8 . 1		
		lered Hawk	the est of Andreas again D	C Pagert M Turner
06-01	1	Errol	head of Androscoggin R.	S. Bogert, M. Turner B. Janeway
06-14	1	Webster	Mud Pond	
06-15	1	Webster	Knight's Meadow Marsh	B. Janeway
Broad-	win	ged Hawk		
06-12	1	Gilsum	Hammond Hollow	M. Wright
07-01	. 1	Gilsum	Hammond Hollow	M. Wright
				. •
Golder	n Ea	_	·	- D - D - II'
07-29	1	Boscawen	landfill near Town Forest	R. Bollinger
				<u> </u>
AUL DI		anda Wal 40 M		

date	#	town	location	observer(s)
Merlin 06-15 06-18	1	Errol Randolph	Sweat Meadow, Lake Umbagog Rt. 2 & Dolly Copp Rd.	C. Martin, S. Bogert, M. Turner S. Bogert, M. Turner
06-18	1	Warner	Mt. Kearsarge summit	B.& H. Janeway
Peregrin	e F	alcon		
06-03 06-06 06-06 07-08 07-25	1 1 1 1 3	Seabrook Gorham Gorham Campton Harts Location	Seabrook Marsh Rts. 2 & 16 near Shelburne downtown Rt. 93 just s. of Thornton Mt. Willard	M. Suomala line S. Bogert S. Bogert, M. Turner T. Leukering, D. Fahl-King C. Martin

Spruce Grouse through Shorebirds

An encouraging number of Spruce Grouse were reported, and a notably northern Wild Turkey family was reported from Wentworth. A Sora seen swimming across the Androscoggin River was, given the secretive nature of this marsh dweller, a highly visual treat for the observers.

A Killdeer at the K-Mart Plaza in Manchester was likely a nearby roof nester. Audubon biologists believed there to be a many as 10 Upland Sandpiper nests at the former Pease AFB this summer, and the migrant hordes of Uppies grew to 45 by the end of July. Twenty Short-billed Dowitchers were a most unusual find at Lake Umbagog this June.

The shorebird migration was well under way by early July, with 24 Whimbrels and 17 Willets being notably high totals for these large waders. A Pectoral Sandpiper on July 19 was somewhat early. A Long-billed Dowitcher was a decided rarity for the state, especially in July.

date	#	town	location	observer(s)
Spruce	Gro	use		
06-18	1	Franconia	N. Twin Spur	G.& C. Ports
06-18	1	Lincoln	W. Bond Trail	G.& C. Ports
07-11	3	Livermore	Nancy Pond Trail	R. Frechette, D. Rowell
07-12	6	Pittsburg /	E. Branch of Dead Diamond	H. H. Laramie
07-13	1	Errol	Leonard Marsh, Lake Umba	agog M. Furner, S. Bogen
07-20		Errol	near Eames Camp	A. Tappan, B. Thomas M. Turner, C. Martin
07-26	4	Errol	Lake Umbagog,	W. Tuffler, O. Wattiff
07-26	1	Dummer	w. of Moll's Rocks e. of Pontook Reservoir	M. Turner, C. Martin
Ruffed	Gro	use	•	
06-17		Gilsum	Hammond Hollow	M. Wright
07-15	4	Hooksett	Chichester Tpk., n. of Rt. 2	7 D. Maxwell
Wild T	urke	· V		
06-10	1	Deering	Clement Hill Rd.	S. Walker
06-23	2	Warner	Waldron Hill	C.& C. Martin
06-24	9	Wentworth	Rt. 25	M. Burne

		*		
date	#	town	location	observer(s)
Virginia	Ra	il		
06-18 06-22	1	Alton Durham	Chestnut Cove Rd. wetland off Dame Rd.	C. Martin S. Mirick, D. Hughes, D. Ekstrom
07-01 07-13	5 2	Canterbury Nottingham	Kodockadee Pond, sod farm off Rt. 152	
Sora 07-20	1.	Errol	Harper's Meadow, Androsco	oggin R. A.& B. Kimball, M. Turner
07-20	1	Errol	Androscoggin R.	S. Bogert, M. Turner,
07-21	1	Errol	Lake Umbagog	J. Noon J. Bourne, S. Carter
Black-b	ellic	ed Plover		
06-01 07-25	70 1	Seabrook Rye	Seabrook Marsh near Walto Odiorne Pt. St. Pk.	on Rd. M. Suomala P. Hunt, T. Leukering, L. Bunten
Semipa	lma	ted Plover		•
07-19 07-25	20 35	Hampton Rye	salt pans se. of Rts. 1 & 51 Odiorne Pt. St. Pk.	P. Hunt, T. Leukering P. Hunt, T. Leukering, L. Bunten
07-25	50	Hampton	salt pans se. of Rts. 1 & 51	P. Hunt, T. Leukering, L. Bunten
07-28	100	Rye	s. of Odiorne Pt. St. Pk.	R. Quinn
Killdee	r			
06-13 07-06 07-15 07-19 07-24 07-25	1 14 13 12 15 50	Manchester Hampton Keene Canterbury Concord Hampton	K-Mart Plaza off Rt. 51 Keene athletic field sod farm Terrill Pk., Merrimack R. salt pans se. of Rts. 1 & 51	J. Simmons S. Mirick M. Wright K. Elkins R. Quinn P. Hunt, T. Leukering, L. Bunten
Greate	r Ye	llowlegs		
07-06 07-25	1	Seabrook Pittsburg	harbor Scott Bog	S. Mirick C. Martin
Lesser	Yell	owlegs		
07-06	7	Hampton	off Rt. 51	S. Mirick
Solitary	y Sa	ndpiper		
07-19 07 <i>-</i> 28	3 3	Exeter Andover	sewage ponds Morey Pond	P. Hunt, T. Leukering K. Elkins
Willet 07-06 07-20	6 17	Seabrook Seabrook	harbor harbor	S. Mirick S. Mirick
Spotted 06-29		ndpiper Wentworth	residence	G. Ports
			•	

date	#	town	location	observer(s)	
	d Sar	dpiper		·	
06-07	20		Pease Airfield	D. De Luca	
06-14		Newington	Pease Airfield	D. De Luca	
07-21	39	Newington	Pease Airfield	D. De Luca	
07-28	45	Newington	Pease Airfield	D. De Luca	
Whim	brel				
07-19		Seabrook	Hampton Harbor, s. end	P. Hunt, T. Leukering	
•• ••			•		
	Ruddy Turnstone				
06-03	5	Seabrook	Hampton Harbor shell flats	M. Suomala	
Sande	rlina		•		
07-19		Rve	Jenness Beach	T. Leukering	
		-	*		
		ited Sandpip		P. Hunt, T. Leukering,	
07-25	530		NH coast	L. Bunten	
07-28	500	Rye	Odiorne Pt. St. Pk.	R. Quinn	
·		•			
Least		piper		P. Hunt, T. Leukering,	
07-25	7	•	NH coast	L. Bunten	
	,			E. Barton	
Pector	ral Sc	ındpiper	·		
07-19	1	Hampton	off Rt. 51	S. Mirick, D. Abbott	
Ch-w.	.hillo	d Dowitcher			
06-01	20	Errol	Thurston's Cove Rd.	S. Bogert, M. Turner	
07-06	11	Hampton	off Rt. 51	S. Mirick	
07-00	150	Hampton	off Rt. 51	S. Mirick, D. Abbott	
		·		•	
		l Dowitcher	-# D+ E1	S. Mirick, D. Abbott	
07-19	- 1	Hampton	off Rt. 51	. O. Million, D. Moodi	
Comn	non S	inipe			
07-22	1	Errol	Harper's Meadow, Androso	coggin R. J. Bourne, et al.	
A		Woodcock			
Amer	ican	AAOOGCOCK	w Nath Dal	C Pagert M Turner	



Randolph Jefferson Notch Rd. Wentworths Location

S. Bogert, M. Turner N. Frost

06-20 07-20

Gulls through Cuckoos

The adult Franklin's Gull, photographed in Rye, is only the second or third record of this species in the state. The Roseate and Least Terns were probably visitors from out of state, but New Hampshire observers should keep looking for nesting pairs. A Black Skimmer spotted in Kittery, Maine, apparently did not grace our shores. A Common Tern seen at Lake Umbagog on June 2 was early enough to be classified as one of those non-breeding wanderers, but the species did have another difficult year with flooding and predation: only 15–20 young were fledged from coastal nests.

Cuckoo numbers were the highest since the great Gypsy Moth infestation of the early 1970s; a Black-billed was reported as far north as Columbia, and a Yellow-billed report (without any details) came from Thornton. The BBS total for Black-billed Cuckoo was the fifth-highest ever recorded (24), with the four higher totals (25, 29, 42, 47) all recorded in the 1970s.

(<u> </u>	
date	#	town	location	observer(s)
Laughi	ng G	Full		
06-01 07-19	1	Rye Seabrook	harbor off Seabrook Beach	S. Mirick, ASNH Field Trip P. Hunt, T. Leukering
Frankli	in's	Guli		
06-01	1		harbor & Jenness Beach	S. Mirick, ASNH Field Trip
Bonap	arte	's Gull		
07-19		Seabrook	Hampton Harbor	P. Hunt, T. Leukering
Great	Blac	k-backed Gul	1	
07-13	1	New London	Pleasant Lake	K. Elkins
Roseat	e Te	rn		
07-06	4	Seabrook	harbor	S. Mirick
Comm	on T	ern		•
06-02	1	Errol	Lake Umbagog	S. Bogert, M. Turner
06-25	21 80	Newington	Little Bay Hampton Saltmarsh	D. De Luca D. De Luca
06-25		Hampton	Hampion Salimaish	D. De Luca
Least 1				A A
07-19 07-19	2	Portsmouth Seabrook	waterfront salt pans along Rt. 286	A. Ames P. Hunt, T. Leukering
			Sail paris along rtt. 200	1. Hant, 1. Leakening
Mourn	_			A A
06-08 06-21	24 13	Milford New London	Auto Survey Route	A. Ames A.& R. Vernon
07-03	21	Gilsum	Hammond Hollow	M. Wright
06-05		d Cuckoo Webster	Tyler Rd.	B. Janeway
06-05	3 1	Concord	Josiah Bartlett Rd.	G.& R. Lang
06-11	1	Canterbury	Boyce Rd.	D. Stavros
06-14	1	Merrimack	corner of Peaslee and Amherst Rds.	D. Deifik, P. Miliotis

date	#	town	location	observer(s)
06-27	1	Wentworth	residence	G. Ports, A. Kent
06-29	3	Thornton	Rt. 3	P. Marra
07-18	1	Columbia	residence	D.& B. Killam
07-19	1	Enfield	George's Pond	P. Hunt, T. Leukering
07-24	1	Lancaster	Wesson Rd.	D. Skeels
07-26	1	Errol	Lake Umbagog	S. Bogert
Yellow-	bill	ed Cuckoo		
06-14	1	Pittsfield	•	G. Robbins
06-23	i	Canterbury	Boyce Rd.	D.& A. Stavros
06-29	i	Thornton	Rt. 3	P. Marra
06-30	i	Enfield	Rt. 4, w. of town	P. Hunt
Great H	lorr	ned Owl		•
07-16	1	Concord	Great Turkey Pond	B. Kantar
Barred	Ow	d .		
06-12	5	Deering	Glen Rd.	R. Libby
06-26	2	Gilsum	Hammond Hollow	M. Wright
07-17	1	Walpole	Merriam Rd.	R. Ritz
07-19	1	Lebanon	Boston Lot Pond	P. Hunt, T. Leukering
07-28	4	Newbury	Stoney Brook WS	C. Martin



Goatsuckers through Flycatchers

With 18 Whip-poor-wills noted (up from 15 in 1990 and six in 1989) and 108 Common Nighthawks in 49 towns (even though 58 were from Concord, Berlin, or Lebanon), the goatsucker report is a heartening one. However, Chimney Swifts recorded on the BBS were the seventh-lowest total ever (up slightly from last year). Swifts were flocking in preparation for migration as early as July 28.

A late, second-hand report of a Rufous Hummingbird came to us via a newspaper article. Described as "rusty or reddish-brown," it was seen at quite close range as it perched near a feeder. While it is impossible to determine exactly what this bird was, two previous records of the species in New Hampshire during the last 15 years lend some credence to this admit-

tedly sketchy report.

BBS numbers for woodpeckers are interesting if not enlightening. The Yellow-bellied Sapsucker total of 41 was the highest since 1971. Meanwhile, the Downy Woodpecker broke the record high of 57 set last year with 60 this year; Pileated was near its record high, and Northern Flickers were the third-lowest ever (with four out of the five lowest totals in the last five years). This editor is not sure what all this means but will be watching future results closely.

Rare flycatchers — two Scissor-tailed and one Acadian — created much of this summer's excitement. Interesting notes of more common fare included "lots" of Yellow-bellied Flycatchers and an Olive-sided Flycatcher in Gilsum. The Yellow-bellied Flycatcher in Gilsum June 7 would have been a late migrant. The BBS numbers show that Eastern Phoebes and Great Crested Flycatchers are doing well (both second-highest totals ever) but that the Least Flycatcher fell to its lowest total ever, continuing a decade-long decline.

date	#	town	location	observer(s)
Commo	on N	lighthawk		
06-05 06-07 06-11	2 1 2	Warner Sutton Manchester	Rt. 89, near Exit 9 Cascade Marsh Sully's Superette	C.& C. Martin D. Stavros M. Martin A. Kent
07-05	7	Plymouth		A. Kent
Whip-p	oor	-will	•	
06-01	2	Stratford	Stratford Hollow	S. Williamson
06-07	1	Webster	Tyler Rd.	B. Janeway
06-07	1	Canterbury	power line, Boyce Rd.	D. Stavros
06-14	2	Chatham	near Basin Pond	R. Oreskes
06-24	1	Nottingham	just s. of Rt. 4	B. Saunders
06-29	2	Freedom		G.& A. Robbins
07-15	1	Weare	Clough St. Pk.	M. Watkins
07-29	2	Litchfield	Lance Ave.	K. Michaud
Chimne	ey S	wift		
07-12	7	Gilsum	Hammond Hollow	M. Wright
07-28	70	Wilton	Mill St.	R.& M. Suomala

`		•		•
date	#	town	location	observer(s)
	roa	ted Humming	gbird	
06-02		Franklin	View St.	B.& G. Austin
06-17	6	Gilsum	Hammond Hollow	M. Wright
/allow-	halli	ied Sapsucke	er .	
)6-15		New London	Webb Loop	R. Vernon
)6-13)6-23	3		Norton Pool	R. Quinn
6-28		Wilmot	Mt. Kearsarge	R. Vernon
7-27	3	Gilsum	Hammond Hollow	M. Wright
Jairy W	Voor	dpecker		
06-01		Concord	Wedgewood Dr.	J. Fehrs
				•
		oodpecker	Canada Marah	R. Vernon
06-19	1	Sutton New London	Cascade Marsh Auto Survey Route	A.& R. Vernon
06-21 06-27		Wentworth	Atwell Hill	B. Priest
06-27 06-28	2		Hammond Hollow	M. Wright
	_	_	- continuer of the tr	J
		Flycatcher	11	M Wright
06-18	1		Hammond Hollow Hammond Hollow	M. Wright M. Wright
07-03	1	Gilsum	logging rd.	P. Hunt
07-04	1	Albany	logging ra.	·
Eastern		od-Pewee		B.A. SAfutulus
07-03	4	Gilsum	Hammond Hollow	M. Wright
Yellow	-bell	ied Flycatche	er	
06-01		Orange	Mt. Cardigan	P. Hunt, et al.
06-07	1	Gilsum	Hammond Hollow	M. Wright
06-23	1		chase Ammonoosuc Trail	S. Mirick
07-09	2	Lincoln	Mt. Osceola	P. Hunt, T. Leukering,
			•	D. Fahl-King
Acadia	n Fly	ycatcher		
07-07	1	Nottingham	Pawtuckaway St. Pk.	S. Mirick
Aldon E	:l.v.c.a	tchor		
Alder F	iyca 1		Pearl Lake Rd.	J. McIlwaine
06-03 06-10	1	New London	Low Plains CA	R. Vernon
06-10	1	Sutton	Cascade Marsh	R. Vernon
	•			
		catcher	Maccoma	P. Hunt, B. Jensen
06-02	1	Lebanon Canterbury	Mascoma sod farm	K. Elkins, R. Vernon
07-19				^
Scissor	-tail	ed Flycatche		D 0 111
06-19	1		Star Is., Isles of Shoals	P. Smith
06-27	1	Rumney	Buffalo Rd.	G. Ports, T. Sears
Great (Cres	ted Flycatche	er	
06-10		New London	Low Plains CA	R. Vernon
06-17	1	Gilsum	Hammond Hollow	M. Wright
				-
Easter			Auto Cuniou Douto	A.& R. Vernon
06-21 07-03	7	New London Gilsum	Auto Survey Route Hammond Hollow	M. Wright
11/4/55	6	GIISUITI	TRAININGTO TROILOW	Triigiit

Swallows through Creeper

Most swallows apparently departed by the end of July, and at least one observer commented on the scarcity of nesting Tree Swallows. On the BBS, Tree Swallows were up slightly from 1989 and 1990, only to hit their sixth-lowest total. The 247 Barn Swallows tallied were the best since 1987 but still historically low (the record high was 502, in 1970). The 14 Cliff Swallows tied the record low set in 1989. This is a far cry from the 200 tallied in 1966 and the 248 in 1972 — and a source of real concern even for this predictably erratic colonial nester. Purple Martins went almost unreported.

The Fish Crows reported this year were in more suitable habitat than the two seen in downtown Concord last year. The American Crow set a new BBS record with 666 birds, way above the median of 332 and well above the numbers of 10–12 years ago. A lone American Crow in Gilsum was mobbed by five different species as it fed on a baby robin.

Black-capped Chickadees and Tufted Titmice both hit record highs on the BBS. The titmice numbers for the last five years are truly dramatic: the total of all BBS routes in 1986 was 27, and in 1991 there were 24 on the Brentwood route alone (and 20 on the Dover route). Both species of nuthatches continue to be recorded in near-record numbers, also.

date	#	town	location	observer(s)
Purple	Mar	tin nit		
07-06		Freedom	Rt. 153, n. of Ossipee R.	A. Robbins
Tree S	wall	w	• .	
06-10 06-18 06-19 06-21 07-19 07-21	11 14	New London Franconia Sutton New London Canterbury Gilsum	Low Plains CA Galehead Hut Cascade Marsh Auto Survey Route sod farm Hammond Hollow	R. Vernon G. Ports R. Vernon A.& R. Vernon K. Elkins, R. Vernon M. Wright
North	ern R	ough-winged	ł Swallow	
06-09 06-19	2 2	Kensington Sutton	Rt. 107 ponds Cascade Marsh	G. Gavutis R. Vernon
Bank	Swal	low	•	
06-19 06-26 07-21	1 25 1	Sutton Canaan Gilsum	Cascade Marsh Rt. 118 Hammond Hollow	R. Vernon G. Ports M. Wright
Cliff S	wallo	ow .		
06-20 06-24 07-24	12 1 10	Warner Canterbury Canterbury	Rt. 89, Exit 9 Riverland CA sod farm	W. Goodwill R. Quinn R. Quinn
Barn S	Swall	low		6
06-17 07-26	8 30	Concord Gilsum	Josiah Bartlett Rd. Hammond Hollow	G. Lang M. Wright

			•	
date	. #	town	location	observer(s)
Gray Jo				
06-04 06-18 07-20 07-26	2 1 3 3	Lincoln Franconia Errol Errol	Franconia Ridge Trail Galehead Hut near Eames Camp Lake Umbagog, w. of Moll's Rocks	B. Janeway G. Ports A. Tappan, B. Thomas M. Turner, C. Martin
Blue Ja	У			
06-01 06-15 06-17 06-20 06-21	2 10 8 15 11	Franklin New London Gilsüm Milford New London	View St. Webb Loop Hammond Hollow Beechbrook Auto Survey Route	B.& G. Austin R. Vernon M. Wright A. Ames A.& R. Vernon
Americ	an (Crow		
06-05 06-21	1 24	Gilsum New London	residence Auto Survey Route	M. Wright A.& R. Vernon
Fish Cr	ow			
06-29 06-29	2 2	Newington Kensington	Pease Airfield Rt. 107 residence	P. Hunt, B. Jensen G. Gavutis
Commo	on R	aven		• •
06-18 07-19 07-25	2 1 3	Franconia Northwood Concord	over S. Twin Mtn. n. shore of Northwood Lake jct. of Rts. 4 & 393	
Boreal	Chie	:kadee		•
07-09	6	Lincoln	Mt. Osceola	P. Hunt, T. Leukering,

Wrens through Thrushes

Even though they have been regularly reported for over 20 years, Carolina Wrens were confirmed nesting for the first time ever, and from two different locations (Hudson and Durham). The BBS Winter Wren total was the second-highest ever (86, near the 1972 record of 92), well above the very low numbers of 1977–1986 (which ranged from 16–30). As with the Tufted Titmouse, a single route (Clarksville) had more Winter Wrens this summer than all of the state's routes had during most of those lean years.

A Golden-crowned Kinglet in Canterbury on June 29 was unusual in that location but perhaps not surprising in that the BBS total was a new record high and only the fifth time in 26 years that the species has been in double figures. Meanwhile, the Ruby-crowned Kinglet has declined to its fifth-lowest total ever, without any reason that's apparent to this editor.

The Eastern Bluebirds on the BBS were a record high and were notable for the evenness of their numeric and geographic distribution. The Hermit Thrushes hit their fourth-highest total, but no trends for this species are obvious. American Robins totalled their best mark since 1982, only 10% below their long-term median. Several Swainson's Thrushes were found in New London for the third year in a row.

D. Fahl-King

				· · · · · · · · · · · · · · · · · · ·		
date	#	town	location	observer(s)		
Carolin	ıa W	/ren				
*	2		residence	B. McCarthy		
06-08	2	Durham	Mill Pond Rd.	J. Beckett		
07-18	1	Pembroke		W. Goodwill		
07-19	1	Durham	Mill Pond Rd.	P. Hunt, T. Leukering		
07-20	1		Star Is., Isles of Shoals	L. Fischer		
House	Wre	en				
06-08	1	Hooksett	Whitehall Rd.	D. Maxwell		
06-21	3	New London	Auto Survey Route	A.& R. Vernon		
07-04	4	Gilsum	Hammond Hollow	M. Wright		
Marsh	Wre	en :				
06-05	1	Rye	Odiorne Pt. St. Pk.	T. Arter, L. Harper		
				7.7.1101, <u>2.</u> 1.110.po.		
		wned Kingle		D. Warrana		
06-22	1	New London	old meadow	R. Vernon		
06-28 06-29	1	Wilmot	Mt. Kearsarge	R. Vernon		
06-29	. 1	Canterbury	Baptist Hill Rd.	R. Quinn		
	ray (Gnatcatcher				
06-01	1	Canterbury	Spender Meadow Pond	R. Quinn		
07-07	6	Nottingham .	Pawtuckaway St. Pk.	S. Mirick		
Eastern	ı Blu	ebird	•	•		
06-01	6	Deering	E. Deering Rd.	I. MacLeod		
06-10	5	Derry	Berge Ln.	D. Maxfield		
06-21	3	Milford	residence	D. Renaud		
06-21	4	New London	Auto Survey Route	A.& R. Vernon		
06-23		Hopkinton	residence	D. Soule		
06-23	2	Londonderry	Musquash CA	H. Chary		
07-03 07-03	5 _. 2	Walpole Derry	Merriam Rd. Walnut Hill Rd.	R. Ritz K. Anderson		
07-03	4	Gilsum	Hammond Hollow	M. Wright		
	7	ansam	, idililiona i lonovi	w. wright		
Veery		0.11				
06-17	4	Gilsum	Hammond Hollow	M. Wright		
06-19 06-21	5 7	Sutton New London	Cascade Marsh	R. Vernon		
	•		Auto Survey Route	A.& R. Vernon		
_	_	ced Thrush		_		
06-04	2	Lincoln	Franconia Ridge Trail	B. Janeway		
06-04	3	Lincoln	Greenleaf Hut	B. Janeway		
07-09	1	Lincoln	Mt. Osceola	P. Hunt, T. Leukering,		
			•	D. Fahl-King		
Swains		s Thrush		•		
06-04		Lincoln	Liberty Springs Trail	B. Janeway		
06-15	1	New London	Webb Loop	R. Vernon		
06-17	2	Franconia	Galehead Hut	G. Ports		
06-21	1	Warner	Mt. Kearsarge summit	B.& H. Janeway		
06-22 06-28	1	New London Wilmot	old meadow	R. Vernon		
06-28	1 25	Orange	Mt. Kearsarge Mt. Cardigan	R. Vernon P. Hunt, et al.		
		_	in oalaigan	i a riunti, or an		
* present all season						

NH Bird Records • Vol. 10, No. 2

date	#	town	location	observer(s)					
Hermit	Hermit Thrush								
06-10	2.	New London	Low Plains CA	R. Vernon					
06-19	2	Sutton	Cascade Marsh	R. Vernon					
06-28	4	Wilmot	Mt. Kearsarge	R. Vernon					
07-22	2	Gilsum	Hammond Hollow	M. Wright					
Wood	Thru	sh		•					
06-01	1	Franklin	View St.	B.& G. Austin					
06-15	4	New London	Webb Loop	R. Vernon					
06-17	4	Gilsum	Hammond Hollow	M. Wright					
06-21	9	New London	Auto Survey Route	A.& R. Vernon					
Americ	an R	Robin		•					
06-01	4	Franklin	View St.	B.& G. Austin					
06-07	4	New London	Bunker Loop	R. Vernon					
06-10	4	New London	Low Plains CA	R. Vernon					
06-10	50	Milford	Beechbrook	A. Ames					
06-17	6	Gilsum '	Hammond Hollow	M. Wright					
06-21	28	New London	Auto Survey Boute	A & R Vernon					

Mimids through Vireos


The Gray Catbird came in at its seventh-lowest BBS total ever but showed strength in the southern part of its range. All but one of the six Brown Thrashers on the BBS were recorded on northern routes, which is curious for this more "southern" species. The Northern Mockingbird reached another record high on the BBS, with the bulk of the reports from the southeastern routes.

American Pipits were finally confirmed nesting on Mount Washington after five summers of suspicious sightings in this area (the fact that it took only about five years to confirm this, compared to the 20 years to confirm the first Carolina Wren nest, was thanks to observers' active searches). European Starlings hit another record low on the BBS, which seems to reflect a decade-long decline (or are observers slighting them?).

Vireos as a group bear watching because they are Neotropical migrants. The Red-eyed Vireo had its best total (747) on the BBS since 1983 and was not far off its median of 780, but the species is still far from the peak numbers of the 1970s (around 1000 each season). The total of 70 Solitary Vireos on the BBS — somewhat unexpected considering the low totals of the 1980s — was second only to the 80 tallied in 1976. The other vireos do not show any noticeable trends.

date	#	town	location	observer(s)	,
Gray (atbi	rd		• • • • • • • • • • • • • • • • • • • •	٠
06-01	4	Franklin	View St.	B.& G. Austin	
06-10	3	New London	Low Plains CA	R. Vernon	
07-03	10	Gilsum	Hammond Hollow	M. Wright	
Northe	ern N	Nockingbird			
06-05	1	Columbia	residence	D.& B. Killam	
06-20	4	Milford	Highland Ave.	A. Ames	
06-21	2.	New London	Auto Survey Route	A.& R. Vernon	

date	#	town	location	observer(s)
Brown	Thre	asher	•	
06-12	1	Enfield	Rt. 4, w. of town	P. Hunt
06-14	1	Gilsum	Hammond Hollow	M. Wright
06-24	- 1	Canterbury	Riverland CA	R. Quinn
07-13	3	Gilsum	Hammond Hollow	M. Wright
Americ	an F	Pipit	•	
06-14	2	Sargents Purc	hase	P. Hunt
		•	Auto Rd., Mt. Washington	
06-29	6	Thompson & N	Meserves Purchase	C. Rimmer
•	,	•	Mt. Washington, w. of Auto	Rd.
07-12	7	Thompson & N	lleserves Purchase	P. Hunt, P. Marra
		•	cow pasture, Mt. Washingto	on ·
07-21	6	Thompson & N	leserves Purchase	P. Hunt, D. Fahl-King
		•	Mt. Washington	
Cedar	Wax	wing		
06-14	. 2	Dunbarton	residence	J. Simmons
06-17	11	Gilsum	Hammond Hollow	M. Wright
06-18	2	Franconia	Galehead Hut	G. Ports
06-21	10	New London	Auto Survey Route	A.& R. Vernon
			,	
Solitar	y Vi			
06-07	4	New London	Bunker Loop	R. Vernon
06-15	3	New London	Webb Loop	R. Vernon
06-24	1	Columbia	Rt. 3 n.	D. Killam
06-28	1	Wilmot	Mt. Kearsarge	R. Vernon
Yellow	/-thr	oated Vireo		
06-19	1	Webster	Mud Pond	B. Janeway
06-20	1	Hillsboro	Farrar Marsh WMA	C. Martin
06-20	1	Webster	Knight's Meadow Marsh	B. Janeway
06-29	- 1	Freedom		G. Robbins
06-30	2	Canterbury	Big Meadows	R. Quinn
07-28	1	Salisbury		K. Elkins, R. Vernon
Warbl	ina \	/ireo		
06-03	.1		Joe English Brook, Horace	Greeley Rd. M. Suomala
Red-ey		/ireo	Dunker Leen	R. Vernon
06-07	8	New London	Bunker Loop	* **
06-15	16	New London	Webb Loop	R. Vernon
06-17	3	Gilsum	Hammond Hollow	M. Wright
06-21	20	New London	Auto Survey Route	A.& R. Vernon
07-14	2	Sugar Hill	residence	J. McIlwaine
•		- Aller		



Warblers

A well-documented "Brewster's" Warbler (hybrid) was seen in Merrimack. In Enfield, the Tennessee Warbler (normally a northern species) and Blue-winged Warbler (normally a southern species) were an interesting geographic juxtaposition. The Tennessees on Mt. Cardigan were less surprising given the elevation. There seemed to be "lots" of Nashville Warblers; and the Northern Parulas in Gilsum and Canterbury were south of their usual range. The Blackpoll Warbler in New London on June 15 was probably a late migrant.

BBS numbers indicate that the warblers are doing well as a group. Those species that met or exceeded their medians (including Yellow, Blackthroated Blue, Blackburnian, Pine, and Ovenbird) outnumbered the others by about two to one. Both the Pine Warbler and Ovenbird totals were their second-highest ever, with the Pine showing a rather even distribution in the southern half of the state while the Ovenbird was nearly uniform across the state except for the extreme north.

The warbler species that had low totals included the Canada Warbler and the Northern Waterthrush (two species normally recorded in low numbers), and American Redstart numbers may be leveling off since the significant decline in the 1980s. Also, the Common Yellowthroat total was the sixth-lowest ever, with almost all the low totals being recorded in the last seven years. This may be due to changes in habitat, but this is just an educated guess supported by no hard evidence. Two pairs of Palm Warblers nesting in the boggy meadows at Lake Umbagog are significant since this is the only place in the state where they are known to breed.

date	. #	town	location	observer(s)
Blue-w	inae	d Warbler	•	•
06-02	1	Enfield	Rt. 4, w. of town	P. Hunt
06-14	1	Merrimack	corner of Peaslee and Amherst Rds.	D. Deifik, P. Miliotis
.07-15	2	Somersworth	Sunningdale Country Club	S. Mirick
Brewsi	ter's	Warbler		
06-08	1	Merrimack	near corner of Peaslee & A	mherst Rds. D. Deifik
Tennes	see	Warbler		
06-23	.1	Sargents Purc	hase Ammonoosuc Trail	S. Mirick
07-02	1	Orange	saddle near s. ridge of Mt. Cardigan	P. Hunt, L. Bunten
07-15	2.	Orange	Mt. Cardigan	P. Hunt
07-21	1	Enfield	Rt. 4, w. of town	P. Hunt
Nashv	ille \	Varbler	•	
06-01	1	Columbia	residence	D.& B. Killam
06-05	1	Gilsum	Hammond Hollow	M. Wright
06-06	1	Warner	Mt. Kearsarge	B. Janeway
06-11	. 2	New London	Cricenti's Bog	R. Vernon
06-23	1	New London	Carr Ledge Loop	R. Vernon

			•		
date	#	town	location	observer(s)	
06-24	1	Walpole	Merriam Rd.	R. Ritz	
07-24	2	Gilsum	Hammond Hollow	M. Wright	
Northe	ern P	arula			
06-01	1	Canterbury	Spender Meadow	R. Quinn	
07-03	1	Gilsum	w. side of Smith Hill	M. Wright	
Yellow	. \\/	whlor			
06-17	, vv u 1	Hooksett	Whitehall Rd.	D. Maxwell	
06-17	3		Cascade Marsh	R. Vernon	
06-21	4	New London	Auto Survey Route	A.& R. Vernon	
07-27	1	Gilsum	Hammond Hollow	M. Wright	
Chastn	unt-ci	ded Warbler			
06-07	4	New London	Bunker Loop	R. Vernon	
06-21		New London	Auto Survey Route	A.& R. Vernon	
07-24	5	Gilsum	Hammond Hollow, s. end	M. Wright	
** ********************	.l:`\	Warbler			
Magn 06-07	ona v 1	New London	Bunker Loop	R. Vernon	-
06-23	2	New London	Carr Ledge Loop	R. Vernon	
06-28		Wilmot	Mt. Kearsarge	R. Vernon	
07-24	1	Gilsum	Hammond Hollow, s. end	M. Wright	•
Black.	thro	ated Blue Wa	rbler		٠.
06-15	2	New London	Webb Loop	R. Vernon	
07-20	1	E. Kingston	field raspberry patch	G. Prazar	
Yellov	/-riin	nped Warble	r	•	
06-01	55	Orange	Mt. Cardigan	P. Hunt, et al.	
06-03	1	Hooksett	Whitehall Rd.	D. Maxwell	
06-10	3	New London	Low Plains CA	R. Vernon	
06-18	1	Franconia	Galehead Hut	G. Ports	
Black-	thro	ated Green W	/arbler		
06-07			Bunker Loop	R. Vernon	
06-23	5		Carr Ledge Loop	R. Vernon	
07-13		Gilsum	Hammond Hollow	M. Wright	:
Black	ourni	an Warbler			
06-07	2	New London	Bunker Loop	R. Vernon	
06-24	. 1	Walpole	Country Rd.	R. Ritz	
Pine V	Varh	•			
06-19	Vai D 1	Sutton	Cascade Marsh	R. Vernon	
06-13	i		Auto Survey Route	A.& R. Vernon	
	-		,		
Prairie			Intervale Dd	R. Quinn	
07-04 07-07	1 2	Canterbury Deerfield	Intervale Rd. Mountain Rd.	S. Mirick	
	_		MODITAL FIA		
Palm '			1	au D. C. Damart M.	Turnar
06-21	2		Leonard Marsh, Magallow Leonard Marsh	ay R. S. Bogert, M. S. Bogert, M. Turn	iurner er
06-28	2	Errol	Leonard Ivial Sti	o. Bogert, w. rum	·•·
					•

date	#			
		town	location	observer(s)
Bay-bre	east	ed Warbler		B October 1
06-23	3	Pittsburg _	Norton Pool	R. Quinn
06-23	1	Sargents Purch	nase Ammonoosuc Trail	S. Mirick
06-26	1	Gorham	Rt. 16	S. Bogert
Blackpo	oll W	/arbler		
06-01		Orange	Mt. Cardigan	P. Hunt, et al.
06-15	1	New London	Webb Loop	R. Vernon
06-23	10	Pittsburg	East Inlet area	R. Quinn
06-23	5	Sargents Purch	nase Ammonoosuc Trail	S. Mirick
07-09	6	Lincoln	Mt. Osceola	P. Hunt, T. Leukering, D. Fahl-King
Black-c	ınd-	white Warble	r	
06-10	2	New London	Low Plains CA	R. Vernon
06-17	4	Gilsum	Hammond Hollow	M. Wright
06-19	2	Sutton	Cascade Marsh	R. Vernon
Americ	ar t	Redstart	•	*
06-07	3	New London	Bunker Loop	R. Vernon
06-19	1	Sutton	Cascade Marsh	R. Vernon
07-26	1	Gilsum	Hammond Hollow	M. Wright
Ovenb	ind.		,	
06-07	10	New London	Bunker Loop	R. Vernon
06-10	7	New London	Low Plains CA	R. Vernon
06-15		New London	Webb Loop	R. Vernon
06-17		Gilsum	Hammond Hollow	M. Wright
06-21	15	New London	Auto Survey Route	A.& R. Vernon
07-03	8	Gilsum	Hammond Hollow	M. Wright
Northe	en V	Vaterthrush		•
06-10	3		Low Plains CA	R. Vernon
06-10	2		Auto Survey Route	A.& R. Vernon
06-23	1	Orford	Upper Baker Pond	G. Ports
	•	Waterthrush		
06-20	ina '		Knight's Meadow Marsh	B. Janeway
			Tangino incascor insion	
	Ξ.	Warbler	Hubbard Brook Experimen	ntal Forest T Leukering
06-01	1	Thornton	Mt. Cardigan, s. peak	P. Hunt
06-21	1	Orange Albany	logging rd.	P. Hunt
07-04			iogging ra.	, , , , , , , , , , , , , , , , , , , ,
		'ellowthroat	Declarit	D Vornon
06-07	. 5		Bunker Loop Auto Survey Route	R. Vernon A.& R. Vernon
06-21	11	New London	Hammond Hollow	M. Wright
07-28	10	Gilsum	nammonu nonow	M. Milian
		arbler .		D. Vanaar
06-07	1	New London	Bunker Loop	R. Vernon
06-22	1	New London	old meadow	R. Vernon
		-		•
		•		
•		•		

Tanagers through Sparrows

Scarlet Tanagers rebounded from last year's third-lowest total (76) to 96, just about their median. The Northern Cardinal total of 72 was less than last year's record high of 82, and the BBS results show an even stronger southern bias for Cardinals than for Mockingbirds and Titmice. An Indigo Bunting was seen at the unusually high elevation of 2600 feet on Mt. Kearsarge.

The 32 Rufous-sided Towhees on the BBS were barely better than last year's record low of 28. A "colony" of 12 Sharp-tailed Sparrows was found at Great Bay. This editor was asked to check out a report of "Snow Buntings" in a field in Concord and, naturally, they turned out to be Bobolinks, but we did find a group of several pairs of nesting Savannah Sparrows. This species presents an interesting case: the BBS shows a very strong northern breeding bias, but this Concord sighting and those known in the Pease area indicate that bias may be artificial. But since this species goes largely unreported, it's impossible to be definitive.

Chipping Sparrow totals on the BBS were the fourth-highest ever, maintaining the high numbers of this species in recent years. Field Sparrows hit just about their BBS norm for the last six or seven years, but their numbers are still perilously low. The 364 Song Sparrows came in a little below their median and still way off their highest totals from 1967-1978 (440-610). Swamp Sparrow totals were the highest in 13 years but still just about at median. White-throated Sparrows were the fourth-lowest on the BBS, and the 24 Dark-eyed Juncos, while near their record low of 19, were not far off the totals for the last 10 years.

date	#	town	location	observer(s)
Scarlet	Tan	ager .		
06-09	1 4 2	Hooksett New London New London New London	Whitehall Rd. Webb Loop Auto Survery Route old meadow Hammond Hollow	D. Maxwell R. Vernon A.& R. Vernon R. Vernon M. Wright
Northe	rn C	ardinal	•	
06-10 06-10 06-21 07-07	3 1 1 4		George St. Whitehall Rd. Hammond Hollow View St.	A. Ames D. Maxwell M. Wright B.& G. Austin
Rose-b	reas	ted Grosbea	k	
06-01 06-15 06-16 06-20	2 5 1 1	Gilsum	View St. Hammond Hollow residence Whitehall Rd.	B.& G. Austin M. Wright G. Prazar D. Maxwell
Indigo	Bun	ting		
06-04 06-05	1 1	Sugar Hill Pembroke	residence Sherwood Meadows	J. McIlwaine M. Lakowicz

٠	date	#	town	location	observer(s)
	06-06	1	Warner	Mt. Kearsarge	B. Janeway
	06-22	i	Columbia	Sim's Stream RR trestle	D. Killam
	06-23	2	Londonderry	Musquash CA	H. Chary
	07-05		Hopkinton	residence	D. Doule
	07-28	1	Wentworth	RR near town center	J. Carreaux
	Rufous	-side	ed Towhee	•	
	06-19	2	Sutton	Cascade Marsh_	R. Vernon
	07-04	2	Canterbury	Battis Crossing Rd.	R. Quinn
	07-12	2	Gilsum	Hammond Hollow	M. Wright R. Ritz
	07-28	1	Walpole	Merriam Rd.	n, niiz
	Field S				A. A. V. Marian Int
	06-17	1	Gilsum	Hammond Hollow Hammond Hollow	M. Wright M. Wright
	07-03		Gilsum	Battis Crossing Rd.	R. Quinn
	07-04 07-12	. 2	Canterbury Andover	Dattis Olossing Fig.	K. Elkins
			· .		
		ian: 8	Sparrow Concord	Horseshoe Pond	R. Quinn
	06-25		_	Holseshoe Louid	11. Quilli
•			d Sparrow	"D D	O. Miniale
	06-30	12	Newmarket	off Bay Rd.	S. Mirick
	Song S				
	06-17		\Gilsum	Hammond Hollow	M. Wright
	06-21	17	New London	Auto Survey Route	A.& R. Vernon
	07-13	8	Gilsum	Hammond Hollow	M. Wright
٠.			parrow		D. Outles
	06-22	2	Pittsburg	Scott Bog Rd.	R. Quinn
	Swamj	p Sp			
	06-19	٠7	Sutton	Cascade Marsh	R. Vernon
	White-	thro	ated Sparrov		
	06-01	. 3	Franklin	View St.	B.& G. Austin
	06-11	8	New London	Cricenti's Bog	R. Vernon
	06-17	. 5		Hammond Hollow	M. Wright
	06-23	6	New London	Carr Ledge Loop	R. Vernon
	Dark-e			·	0.5
	06-17	2		Galehead Hut	G. Ports
	06-23	2	New London	Carr Ledge Loop	R. Vernon R. Vernon
	06-28	3	Wilmot	Mt. Kearsarge	M. Wright
	07-28	3	Gilsum	Hammond Hollow	iair ataudiir
	,				
				~ //	

Blackbirds through House Sparrow

The total of 179 Bobolinks on the BBS was the fourth-lowest ever, but not far off the median of 200. Common Grackles, Red-winged Blackbirds, Brown-headed Cowbirds, and Northern Orioles were all very low compared with past years; the 103 Orioles were only half of what was recorded just six years ago. Orchard Oriole reports are usually few and always a pleasant surprise. The Eastern Meadowlarks on the BBS were about average for recent years, but only one other report was received. Please do this editor a favor and search out and report Meadowlarks.

The House Finch rebounded to a near-record total on the BBS (199 vs. 202) after last year's unexpected drop (140). The rest of the finches were rather unremarkable. It has been pointed out to this editor that I need to adjust my recent summer's comments on the nesting range of the Evening Grosbeak. They continue to be reported as nesting in small numbers throughout the state with the exception of the southeastern coastal plains, where they seem to be absent as a nesting species.

date	#	town	location	observer(s)
Boboli		_		
06-02	1	Sunapee	Stagecoach Rd. Fitzwilliam Rd.	G. Stansfield A. Ames
07-11 07-14	3 35	Jaffrey Deering	E. Deering Rd.	I. MacLeod
			E. Deeling No.	i. Maocooa
		adowlark		D 0
06-03	1	Canterbury	sod farm	R. Quinn
Rusty !	Blacl	cbird	•	
06-23	6		Back Lake Rd.	R. Quinn
07-17	. 1	Pittsburg	road into Scott's bog	D.& B. Killam,
			•	P. Sorrentino, et al.
Comm	on G	rackle		
06-10	20	New London	Low Plains CA	R. Vernon
06-21	9	Milford	•	A. Ames
Brown	-hea	ided Cowbird	l ,	
06-11	.12		Hammond Hollow	M. Wright
06-21	12	New London	Auto Survey Route	A.& R. Vernon
Orcha	rd O	riole		•
07-19	1	Durham	Durham Point Rd. marsh	T. Leukering, P. Hunt
Northe	ern C	Driole		
06-01	2	Franklin	View St.	B.& G. Austin
06-17	1	Gilsum	Hammond Hollow	M. Wright
07-21	3	Gilsum	Hammond Hollow	M. Wright
Purple	Fine	:h		
06-14	2	Franklin	View St.	B.& G. Austin
06-15	4	New London	Webb Loop	R. Vernon
07-01	2	Gilsum	Hammond Hollow	M. Wright

				•	
	date .	#	town	location	observer(s)
	House				
	06-01 06-20 07-31	5 10 3	Franklin Milford Gilsum	View St. George St. Hammond Hollow	B.& G. Austin A. Ames M. Wright
	White-	wind	ged Crossbill	, ,	
	06-28 07-05 07-26	2	Second Colleg Milan Errol	e Grant pond on Rt. 110B Lake Umbagog, w. of Moll's Rocks	S. Bogert, M. Turner S. Bogert, M. Turner M. Turner, C. Martin
Pine Siskin					
	07-26	2	Errol	Lake Umbagog	S. Bogert
	Evenin	ıg Gr	osbeak		
	06-01 06-06 06-07 06-10 06-21 07-02	2 4 2 2 3	Rumney Webster Gilsum Canterbury New London Hooksett	Bog Rd., n. of Loon Lake Tyler Rd. Hammond Hollow Baptist Hill Rd. Auto Survey Route Whitehall Rd.	B. Janeway M. Wright R. Quinn A.& R. Vernon D. Maxwell
	07-11 07-23	3 3	Woodstock Franklin	Mirror Lake Rd. under Rt. 9 View St.	3 T. Leukering B.& G. Austin


residence

Franklin

5 Andover 3 Columbia

07-23 07-27

07-28



Standard Abbreviations Used

CA	Conservation Area
NWR	National Wildlife Refuge
R.	River
St. Pk.	State Park
SPNHF	Society for the Protection of NH Forests, Concord Center
WMA	Wildlife Management Area
WMNF	White Mountain National Forest
WS	ASNH Wildlife Sanctuary

K. Elkins

D.& B. Killam

Corrections to Previous NHBR Volumes

Fall 88 Vol. 7 No. 3

p.4 The Tundra Swan noted in the Waterfowl Summary was not "the third on record". Further research has found that there have been additional historic sightings of Tundra Swans.

Winter 88-89 Vol. 7 No. 4

p.10 The Short-billed Dowitcher, sighted 2-11-89 in Concord should not have appeared in the listing. There were no details for the sighting and, as such, it can not be verified.

Spring 89 Vol. 8 No. 1

p.15 The listing of an Olive-sided Flycatcher in Orford was incorrectly dated 3-30-89. The correct date is 5-30-89.

Spring 90 Vol. 9 No. 1


p.22 In the summary of Kinglets through Vireos the statement, "A Varied Thrush remained in Bedford until May 1" should read "until March 1".

Fall 90 Vol. 9 No. 3

- p.3 The second paragraph of the Introduction should read "A storm from the Great Lakes that passed through on September 7", not September 25.
- p.9 The Turkey Vulture sighting listed on 8-12-90 at Indian Ground Hill should be in the town of South Hampton.

Winter 90-91 Vol. 9 No. 4

- p.5 The second sentence of the Cormorant through Herons summary should read "The Lee-Durham CBC had their fourth sighting of this species since the circle was expanded in 1980."
- p.6 In the fourth paragraph of the Waterfowl Summary the reference to Lesser Scaup should read "The Coastal CBC had a Lesser Scaup for only the second time in history, while the Laconia/New Hampton CBC had its fourth record."




New Hampshire Birding Hot Spots

- 1. Odiorne Point (Rye)
- 2. Great Bay
- 3. Eel Pond (Rye)
- 4 Isles of Shoals
- 5. Mascoma Lake (Enfield/Lebanon)
- 6. Audubon House/Turkey Pond/Silk Farm WS (Concord)
- 7. Cascade Marsh (Sutton)
- 8. Mt. Cardigan (Orange)
- 9. Samuel Moore & Commerford Dams (Littleton)
- 10. Pondicherry Wildlife Refuge (Jefferson/Whitefield)
- 11. Pontook Reservoir (Dummer)
- 12. Lake Umbagog (Errol)
- 13. Lake Francis, Connecticut Lakes (Pittsburg)
- 14. East Inlet (Pittsburg)
- 15. Low Plains Conservation Area (New London)
- 16. Chase Wildlife Sanctuary (Hopkinton)
- 17. Crawford Notch (Harts Location)
- 18. Mount Kearsarge (Wilmot/Warner)

Breeding Bird Survey Routes

- Peterborough Merrimack
- 2. Brentwood Atkinson
- 3. Fitzwilliam Winchester
- 4. Dover Exeter
- 5. Hopkinton Andover
- Epsom Manchester
- 7. Concord Sanbornton
- 8. Strafford Lee
- 9. Canterbury Barnstead
- 10. Gilmanton Northfield
- 11. Wilmot Alexandria

- 12. Albany Eaton (Mt. Chocorua)
- 13. Walpole Stoddard
- 14. Marlow Charletown
- 15. Lempster Grantham
- 16. Crawford Notch Harts Location
- 17. Jefferson Shelburne
- 18. Franconia Lincoln
- 19. Milan Dummer
- 20. Stratford Stewartstown
- 21. Dixville Colebrook
- 22. Clarksville Pittsburg
- 23. Glen Chatham



Reporters for Summer 1991

Alice Ames
Ginny Austin
Sandy Bogert
Janet Bourne
Connie Casas
Henry Chary
David Deifik
Diane De Luca
Paula Dimond
Laura Eaton
Kimball Elkins
Carol Foss
Richard Frechette
Zoë French

Nola Frost
George Gavutis
William Goodwill
Lynn Harper
Betty Herrin
Peter Hunt
Betsy Janeway
Margot Johnson
David Killam
Ruth Lang
Tony Leukering
Iain MacLeod
Susan MacLeod
Chris Martin

Dana Maxwell
Bonnie McCarthy
John McIlwaine
Karen Michaud
Steve Mirick
Joyce Neveux
Linda Nichols
Pat Niswander
Cheri Phillips
Al Ports
Gregory Prazar
Robert Quinn
Chris Rimmer
Robert Ritz

Andrea Robbins
Jill Simmons
Dot Skeels
Dot Soule
Gary Stansfield
Dawn Stavros
Larry Sunderland
Mark Suomala
Rebecca Suomala
Bob Vernon
Stephen Walker
Mary Wright

Reports for the following species were received but they do not appear in the listings

American Black Duck Mallard Red-tailed Hawk Herring Gull Rock Dove Belted Kingfisher Downy Woodpecker Northern Flicker
Least Flycatcher
Black-capped Chickadee
Tufted Titmouse
Red-breasted Nuthatch
White-breasted Nuthatch
Brown Creeper

Winter Wren
European Starling
Chipping Sparrow
Red-winged Blackbird
American Goldfinch
House Sparrow

The above sightings were either discussed in the summaries, or occurred in average numbers at expected locations.

For information on the seasonal occurrences and comparative abundance of birds in New Hampshire we recommend *A Checklist of the Birds of New Hampshire* by Kimball C. Elkins. It is available in the ASNH Nature Store in Concord, or you may order it by mail by sending \$3.00 to: NHBR-Checklist, ASNH, 3 Silk Farm Road, Concord, NH 03301.

We are always interested in receiving sponsorship for NH Bird Records. If you or a company/organization you work for would be interested, please contact Becky Suomala or Iain MacLeod at 224-9909.



New Hampshire Bird Records Volume 10, Number 2 Summer 1991

Managing Editor: Rebecca Suomala Technical Editor: Diane De Luca Design & Page Layout: Iain C. MacLeod Final Proofing: Susan MacLeod Assistant: Jill Simmons (volunteer) Proof Reader: Marie Neveu (volunteer) Text Editor: Tom McMillan (volunteer)

New Hampshire Bird Records (NHBR) is published quarterly by the Audubon Society of New Hampshire (ASNH) as a member service.

Bird sightings are submitted to ASNH and are edited for publication. A computerized printout of all sightings in a season is available for a small fee. To order a printout or to volunteer your observations for *NHBR*, please contact the Managing Editor.

Volunteers are an integral part of *NHBR* and provide invaluable assistance at every step. We couldn't do it without them. Gifts and donations to ASNH may be specifically designated for use by *NHBR*. We also welcome bird illustrations which may be used in the publication. Please do not hesitate to contact the editors if you are interested in volunteering or making a donation.

Back issues for some seasons are available at \$2.00/copy plus postage. If you are interested please contact Becky Suomala at 224-9909.

Rare Bird ALERT



224-9900

Weekdays: after 5:00 pm • Weekends: all day



Audubon Society of New Hampshire 3 Silk Farm Road, Concord, NH 03301

Nonprofit Org.
US Postage
PAID
Permit No. 522
Concord, NH